

Property type

A3/A4/A5 Restaurant and Cafes/Drinking
Establishments and Hot Food takeaways

Total floor area


509 square metres

### Rules on letting this property

Properties can be let if they have an energy rating from A+ to E.

### **Energy rating and score**

This property's energy rating is C.



Properties get a rating from A+ (best) to G (worst) and a score.

The better the rating and score, the lower your property's carbon emissions are likely to be.

# How this property compares to others

Properties similar to this one could have ratings:



## Breakdown of this property's energy performance

Main heating fuel	Natural Gas
Building environment	Heating and Natural Ventilation
Assessment level	3
Building emission rate (kgCO2/m2 per year)	149.57
Primary energy use (kWh/m2 per year)	867

# Recommendation report

Guidance on improving the energy performance of this property can be found in the <u>recommendation</u> report (/energy-certificate/1049-6735-4856-1382-4262).

### Who to contact about this certificate

### **Contacting the assessor**

If you're unhappy about your property's energy assessment or certificate, you can complain to the assessor who created it.

Assessor's name	Kieran Wilshaw
Telephone	01924 669940
Email	kwilshaw@compliance365.co.uk

### Contacting the accreditation scheme

If you're still unhappy after contacting the assessor, you should contact the assessor's accreditation scheme.

Accreditation scheme	Stroma Certification Ltd
Assessor's ID	STRO035247
Telephone	0330 124 9660
Email	certification@stroma.com

#### About this assessment

Compliance365
6 Mariner Court
The assessor is not related to the owner of the property.
5 August 2020
22 October 2020